Revised 01/17/02

1.	Date	e(s) of Inspection:
2.	CE I	inspector(s):
3.	Gene	eral Laboratory Information:
	a.	Point of Contact(s):
	b.	Business Name:
	C.	Owner(s):
	d.	Street Address:
	e.	City, State, Zip Code:
	f.	Phone Number:
	g.	Years in Business:
	h.	<pre>Employees: (1) Professional: (2) Technical: (3) Clerical:</pre>
	i.	Full-time Laboratory Personnel:
	j.	Testing Area (ft ²):
	k.	Type of Building:
	1.	Offsite/Portable Laboratory:
4.	Spec	rific Laboratory Information:
	a.	Type of services offered: (1) Aggregate: (2) Bituminous: (3) Concrete: (4) Rock: (5) Soil:
ADDT	b.	Proficiency Sample Programs: (1) Aggregate: (2) Bituminous: (3) Concrete: (4) Soil:
1 T	. 1 1 01	ATTE COLUMNIA TO .

	С.	Curre (1) (2) (3) (4) (5) (6) (7) (8)	ent Reference Material: ASTM Standards: AASHTO Standards: CE CRD Handbook: CE Engineer Manuals: CE Rock Testing Handbook: Contract Specifications: Military Specifications: Federal Specifications:
5.	Exit	(1) (2) (3) (4) (5) (6)	fing Attendees:

PERSONNEL QUALIFICATIONS

7.1. Engineer or Scientist in Charge	Expertise / Years Experience	Education	Registration / States
7.2. Supervising Lab Technician	Expertise / Years Experience	Education	Certifications
7.3. Supervising Field Technician	Expertise / Years Experience	Education	Certifications

TECHNICAL STAFF

	1110111	NICAL SIAFF		
7.4. Laboratory	Expertise/	Current ACI	Current NICET	Current
Technicians	Years	Field/Lab	Level	Nuclear
	Experience	Certification	Certification	Certification
7 4 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	T	Constant DOT	Correspond NT CDM	Q
7.4. Field Technicians	Expertise/	Current ACI	Current NICET	Current
	Years	Field/Lab	Level	Nuclear
	Experience	Certification	Certification	Certification

ACCREDITATIONS

	AASHTO	A2LA	CMEC	NVLAP
Current Date Accred.				
Expiration Date				

INSPECTIONS

Authority	Date of Insp.	Aggregate	Bituminous	Concrete	Rock	Soil
AMRL						
CCRL						
USACE						

8.0 QUALITY SYSTEM CRITERIA (ASTM C 1077, D 3666, D 3740, E 329)

Note: A "D" indicates a deficiency exists and "s" denotes satisfactory

8.1.1. Quality Manual (QM): a. Does the laboratory maintain a QM? b. Does each document in QM indicate its preparation or revision date?	
8.1.2. Quality Management: a. Who is responsible for determining if quality system implementation are being conducted according to the QM? Name: b. Does this individual have access to top management?	
b. Does this individual have access to top management?	
8.1.4. Equipment Calibration and Verification (see tables): a. Does the laboratory calibrate/verify all significant testing equipment? b. Is newly acquired equipment without manufacturers' certification calibrated before being placed into service?	
8.1.5. Equipment Calibration and Verification Records (see tables): Does the laboratory maintain calibration and verification records which include the following information:	
8.1.5.1. Detailed results of the calibration performed (dimensions, mass, force, time, etc.)?	
8.1.5.3. Date the calibration/verification was performed?	
8.1.6. Inspection of Facilities: a. Does the laboratory have its facility inspected at intervals of not more than 3 years by a qualified national authority (AMRL and/or CCRL)? b. Does the laboratory submit to the qualified national authority a written report documenting how any deficiencies were corrected within 30 days of receipt of the evaluation report?	
8.1.7. Proficiency Sample Testing: a. Does the laboratory participate in a formal proficiency sample program (AMRL or CCRL), in-house program, or independent third party program?	
8.1.8. External Audit Records: a. Does the laboratory maintain records of any external audits and documentation describing how the deficiencies were corrected?	

8.1.9. Proficiency Sample Records:	
a. Does the laboratory retain result	s of participation in proficiency
	s, summary reports, and documentation
describing steps taken to determine t	
corrective actions taken?	
8.1.10. Test Methods and Procedures:	
a. Does the laboratory maintain copi	es of standard and non-standard
procedures for testing performed?	
b. Are these procedures current?	
	sible to employees performing the work?
e. The the procedures readily decest	
8.1.11. Test Records:	
a. Does the laboratory maintain test	records which clearly present the
following information:	records which ofearly probene one
	esting laboratory?
	
	<u> </u>
(G) Date test was performed?	
	ndard test method used and any
	om the standard?
· ·	rtinent data required by the standard
	results obtained from tests
	cor?
	accepting technical responsibility
(L) Sample and field identific	cation/location information?
8.1.12. Records Retention:	
	ollowing records in a secure location
for a minimum of 3 years pertaining t	
(1) Testing?	
	verification?
	eviews?
(5) Proficiency sample testing	J?
	and evaluation?
(7) Personnel?	

9.0 QUALITY MANUAL (QM) REQUIREMENTS (ASTM C 1077, D 3666, D 3740, E 329)

Note: A "D" indicates a deficiency exists and "s" denotes satisfactory

9.1.1. 0	rganization and Organizational Policies:
9.1.1.1.	
	or company, if different?
9.1.1.2.	Ownership and management structure of the laboratory including names, affiliations and positions of principal officers and directors?
9.1.1.3.	Organization chart showing relevant internal organizational components?
9.1.1.4.	List of the applicable dates of qualifications, accreditation, and recognition by others?
9.1.2. St	taff:
9.1.2.1.	Outline/chart showing operational personnel positions & their lines of authority & responsibility?
9.1.2.2.	Position Descriptions: (Note: A reference to where position descriptions are found is acceptable if they are not in QM)
	Position descriptions for each technical operational position shown on the laboratory's organization chart?
	Identify the position?
	Describe the duties associated with the position? Describe the required skills, education and experience?
9.1.2.3.	Indicate the supervision exercised and received?
J.1.2.J.	sketches are found is acceptable if they are not in QM)
(1)	Brief biographical sketches for supervisory staff involved in testing
(-,	areas covered by scope of quality system evaluation?
(2)	Indicate education and work experience?
	Indicate license and certifications?
(4)	Indicate current position?
	Methods of Training:
	Describe the methods used to ensure that all laboratory technical staff are trained and qualified to perform tests?
	Indicate what position(s) or employee(s) is responsible for the training program and maintenance of records?
9.1.2.5.	Methods to Evaluate Staff Competency:
	Describe the methods used to evaluate staff competency to ensure that each test covered by the scope of quality system evaluation is performed in accordance with standard procedures?
(2)	Indicate frequency of evaluations? Indicate what position(s) or employee(s) is responsible for evaluating staff competency and maintenance of records?
9.1.2.6.	Sample form(s) used to record results of training and competency evaluation activities?
(1)	Include a field for entering name of trainee?
	Include a field for entering name of evaluator?
	Indicate test method(s) evaluated?
	Include a field for indicating date activities took place?
(5)	Provide a field for recording results of training or evaluation activity?

9.1.3.1. <u>Inventory</u> : (Note: A reference to where the inventory is found is acceptable if it is not in QM)
a. Inventory of major sampling, testing, calibration and verification
equipment associated with test methods covered by scope of quality system
evaluation?
b. The following items should be included for each piece of major equipment:
(1) Name of equipment?
(2) Manufacturer?
(3) Model and serial number?**
(**Note: An identification number assigned by the laboratory or other
unique identifying information may be substituted for the model and
serial number if this is the practice normally followed by the laboratory.
9.1.3.2. Equipment Calibration and Verification:
9.1.3.2(1). List(s) giving general description of equipment for performing tests
covered by scope of quality system evaluation which require
calibration/verification?
a. Does the information for each item listed include:
(1) Interval of calibration/verification?
(2) Reference to calibration/verification procedure used?
(3) Location of calibration/verification records?
9.1.3.2(2). Document describing laboratory's method for ensuring that
calibration/verification procedures are performed for all required
equipment at specified intervals?
a. Does the document include:
(1) Name(s) of individual(s) responsible for ensuring that
calibration/verification activities are carried out?
(2) Procedures for handling equipment that is new, removed from
service, out of calibration, or defective?
9.1.3.2(3). In-house equipment calibration/verification procedures, when they
cannot be referenced in applicable standards, or has reference to
their location in the laboratory?
9.1.3.2(4). Certificates or other documents that establish traceability of
in-house equipment or reference standards used for calibration/
verification or has reference to their location in the laboratory?
9.1.4. <u>Test Records and Reports</u> : (Note: Printouts showing typical test records
are acceptable if the laboratory uses electronic media for storage)
9.1.4.1. Describe methods used by the laboratory to produce test records and to
prepare, check and amend test reports?
9.1.4.2. Contain typical test report forms which illustrate the manner in which
test results and supporting information are documented?
9.1.5. <u>Sample Management</u> :
a. Contain a document describing procedures(s) for sample identification,
storage, retention, & disposal?
9.1.6. Diagnostic and Corrective Action:
9.1.6.1. Description of participation in proficiency sample and on-site
inspection programs?
(1) Methods to identify poor results?
(2) Procedures followed when poor results and deficiencies occur?
9.1.6.2. Outline the method(s) used in responding to external technical
complaints?
9.1.7. Internal Quality System Review:
(1) Description of the scope of quality system reviews?
(2) Indicate frequency of reviews?
(3) Identify individual(s) responsible for conducting reviews?
(4) Describe distribution of reports to management?
(5) Indicate location of records showing results of reviews?

9.1.8. Subcontracting:
a. A reference to where the policies are found is acceptable if they are
not in the QM
b. Description of policies which the laboratory follows relative to subcontracting or a statement that the laboratory does not engage in such
activities?
(1) Procedures followed by the laboratory in selecting competent subcontractors?
(2) Procedures followed by the laboratory when reporting results of testing performed by subcontractors?

$\frac{\textbf{11.0 RECORDS AND REPORTING REQUIREMENTS}}{(\texttt{ASTM C 1077, D 3666, D 3740, E 329})}$

Note: A "D" indicates a deficiency exists and "s" denotes satisfactory

11.1. St	stem of Records:
a.	
	rification of any issued report?
	Are reports and records retained for at least three years?
c.	
tes	ts?
	
	intenance of Records:
11.2.1.	Detailed results (i.e. worksheets) of all required equipment
	calibration and verification?
11.2.2.	Results of internal audits?
	Results of any on-the-job training performed including:
(1)	Name of person?
(2)	Date of training?
(3)	By whom?
(4)	Type of training?
	Results of any activities performed to ensure continued competence in
	forming standard test methods including:
(1)	
(2)	<u> </u>
(3)	<u></u>
(4)	
	Results of audits and inspections?
(1)	
	Records of verification of competency of any external org. used?
	Records or resumes that document each person's:
	Qualifications?
(2)	<u></u>
(3)	Training history?
11.3. Re	morts.
	Name and address of the laboratory?
	Data the manager was decided and data the test was newformed?
11.3.3.	
11.3.4.	Identification of the report, project, name and title of the person
11.5.4.	technically responsible for the report, and standard test method(s)?
11.3.5.	Specific identification and description of the test specimen including
11.3.3.	field identification and detailed location (i.e., horizontal and vertical
	coordinates of the sample source)?
11.3.6.	Date the test sample was received by the laboratory?
11.3.7.	Standard test method(s) used with a notation of all known deviations
11.0.7.	from the referenced method(s) or requirements of the method(s), or both,
	not performed by the laboratory?
11.3.8.	Identification of test results or other data, or both, obtained from
	subcontractor(s)?
11.3.9.	Results and other pertinent data required by the test method used?
11.4.	Accurately and clearly present the specified test results and all
- · - ·	pertinent data?
11.5.	Clearly reference the report being amended for corrections or additions?
•	

Additional Comments:

AGGREGATE TEST EQUIPMENT CALIBRATION AND VERIFICATION REQUIREMENT

				1							ū-	1	
	ASTM	Lab specified	Calibrate		Written		Record	Record	Record	Record	Record	Record	Record
	C-1077 specified	interval	Verify	Procedure	Procedure								
ITEM	interval		G /77	T. 01	G /77		Employee		Date C/V				Reference C/V
	(mo.)		C/V within	In QM or	C/V Equipment	& Comini	Name	equipment ID	C/V	date	C/V date	results	procedure
	, ,		interval	location	listed	No.		15		uace			procedure
Mechanical Sieving Devices													
- C 136, (check period of	12												
agitation)													
Sieves - E11, (check	12												
accuracy)	12												
Sieve Washing Efficiency -	12												
C 117	12												
Specific Gravity and	6												
Absorption - C 127, C 128,	· ·												
(duplicate tests)													
Balances (calibrate)	12												
OPTIONAL EQUIPMENT													
Unit Mass Measure - C 29,	12												
(calibrate)	12												
Hydrometer - C 88,													
(calibrate)													
Los Angeles Machine &													
Steel Spheres - C 131, C													
535, (check dimensions &													
mass)													
Ovens (check temperature)													
Sample Splitter - C 702,													
(check opening numbers &													
widths)													

Additional Comments:

BITUMINOUS TEST EQUIPMENT CALIBRATION AND VERIFICATION REQUIREMENT

	ASTM	Lab	Calibrate	Written	Written	Record	Record	Record	Record	Record	Record	Record	Record
ITEM	D-3666 specified interval (mo.)	specified interval	Verify C/V within interval	Procedure In QM or	Procedure	Serial	Employee Name	C/V equipmen t ID	Date C/V	Next C/V date	Previous C/V date		Reference C/V procedure
Saybolt Viscometers - D 244 (calibrate)	36												
Mechanical Shakers (verify length of time for efficiency)	12												
Gen. Purpose Balances, Scales & Weights (verify)	12												
Test Thermometers - D 5, D 70, D 113, D 2041, D 2170, D 2171, D 3142 (calibrate)	6												
Analytical Balances & Weights (verify)	24												
Compression Test Machine - D 074, D 1075, D 1559, D 1560 (verify load indications)	12												
CA Kneading Compactor, D 1561 (calibrate)	24												
Timers, D 2170, D 2171 (check accuracy)	6												
Ovens (verify temperature settings)	4												
Penetrometer & Accessories, D 5 (check dial and timer accuracy and needle condition)	6												
Ductility Machine, D 113 (check molds and speed of travel)	12												
TFO & RTFO Oven, D 1754, D 2872 (shelf/carriage check rotation speed and temperature)	12												
Vacuum System, D 2041 (check pressure)	12												
Sieves, C 136 (check sieve accuracy/phys condition, E11)	6												

BITUMINOUS TEST EQUIPMENT CALIBRATION AND VERIFICATION REQUIREMENT (CON'T)

	ASTM D-3666	specified	Calibrate Verify		Written Procedure	Record	Record	Record	Record	Record	Record	Record	Record
ITEM	specified interval (mo.)	interval	C/V within interval	In QM or	C/V Equipment listed	&	Employee Name	C/V equipmen t ID	Date C/V	Next C/V date		Detailed results	Reference C/V procedure
Molds, Followers, Calibration cylinders, D 1560, D 1561 (check critical dimensions)	12												
Molds, Manual Compaction. Hammers, Breaking Heads, D 1559 (check critical dimensions and mass of hammer)	12												
Molds & Plungers, D 1074 (check. critical dimensions)	12												
Brass Rings & Assembly, D36 (check critical dimensions)	12												
Pycnometers , D 70 (check critical dimensions and physical condition)	12												
Collars & Floats, D 139 (check critical dimensions)	12												
Flow Meters , D 1856, D 2872 (calibrate)	12												
Water, Oil and Air Bath (verify temperature)	6												
Molds and Tampers, C 128 (check critical dimensions)	24												
Flash Cups - D 92, D 3143 (check critical dimensions)	12												

CONCRETE TEST EQUIPMENT CALIBRATION AND VERIFICATION REQUIREMENT

	ASTM	Lab	Calibrate	Written	Written	Record	Record	Record	Record	Record	Record	Record	Record
	C-1077	specified interval		Procedure									
ITEM	specified interval		c/v	In QM or	c/v	Model &	Employee Name	C/V equipmen	Date C/V	Next C/V	Previous C/V date	Detailed results	Reference C/V
	(mo.)		within	reference	Equipment	Serial	1.00	t ID	O , :	date	0, 1 4400	1000100	procedure
			interval	location	Listed	No.							
Slump Cones, C 143 (check dimensions)	12												
Unit Weight Measures, C 138 (calibrate)	12												
Pressure Air Meters, C 231 (calibrate)	3												
Metallic Reusable Molds, C 31 (check critical dimensions)	12												
Single Use Molds, C 39 (check critical dimensions)	Each shipment												
Compressive Test Machines, C 39 (verify load indications, E4)	12												
Capping, C 617 (check strength)	3												
Balances, Scales, & Weights (verify)	12												
Ovens (verify temperature settings)	12												
Thermometers, C 1064 (calibrate, E 77)	12												
OPTIONAL EQUIPMENT													
Vibrator - C 31, (check vibration frequency													
Flexure Test Apparatus - C 78, C 293, (check planeness of support blocks)													
Beam Molds - C 31, (check dimension surfaces, & water tightness)													
Capping Device - C 617, (check alignment, planeness, smoothness)	Daily												
Melting Pot - C 617, (check material temperature)													

ROCK TEST EQUIPMENT CALIBRATION AND VERIFICATION REQUIREMENT

	3.0534	T - 1:										
ITEM	ASTM D 3740 specified interval (mo.)	Lab specified interval	c/v	Written Procedure In QM or reference location	c/v	Record Model & Serial No.	Employee	Record C/V equipment ID	Record Date C/V	Next	Record Previous C/V date	Record Reference C/V procedure
Gen. Purpose Balances, Scales, & Weights D 4612, D 4644, D 5220, D 5240, D 5312, D 5313 (verify)	12											
Compression or Loading Device, D 2664, D 2936, D 2938, D 3148, D 3967, D 4341, D 4405, D 4406, D 5407 (verify load indications)	12											
Ovens, D 4612, D 4644, D 5220, D 5240, D 5312, D 5313 (verify temperature settings)	4											
Sieves, D 4644 (check sieve accuracy/phys condition, E 11)	6											
Dial Gages, LVDT, Micrometer, D2664, D3148, D4341, D4394, D4395, D4403, D4405, 4406, D4435, D 4436, D4506, D4535, D4543, D4553, D4554, D4555, D4729, D4971, D5335 (verify indications)	6											
Pressure Gage &Transducer, D 4394, D 4395, D 4525, D 4406, D 4506, D 4553, D 4554, D 4630, D 4631, D 4645, D 4729, D 4971, D 5407 (calibrate)	6											
Load Cell, D 4394, D 4395, D 4435, D 4436, D 4553, D 4555 (calibrate)	12											
Flow Meter, D 4630, D 4631, D 4525 (calibrate)	12											
Thermal Meter & Transducer, D 4341, D 4405, D 4406, D 4535, D 4611, D 4612, D 5334, D 5335 (calibrate)	12											
Sonic Transducer, D 2845	6											

Audit Check Sheet SOILS TEST EQUIPMENT CALIBRATION AND VERIFICATION REQUIREMENT

		1		,	1			1					
	ASTM	Lab specified	Calibrate	Written	Written	Record	Record	Record	Record	Record	Record	Record	Record
ITEM	D 3740 specified interval (mo.)	interval	C/V	Procedure In QM or reference location		&	Employee Name	C/V equipmen t ID	Date C/V		Previous C/V date		Reference C/V procedure
Mechanical Shakers (verify length of time for efficient sieving)	12												
Gen. Purpose Balances, Scales, & Weights (verify)	12												
Compression or Loading Device, D1883, D2166, D2435, D2850, D3080 (verify load indications)	12												
Mechanical Compactor, D698, D1557 (calibrate)	12												
CA Kneading Compactor, D2844 (calibrate)	24												
Ovens (verify temperature settings)	4												
Vacuum System D854 (check. pressure)	24												
Molds, D698, D558, D559, D560, D1557, D1883, D2844 (ck. critical dimensions)	12												
Manual Hammer, D698, D1557 (check. wt. & critical dimensions)	12												
Sieves, D422 (check. sieve accuracy/phys. condition, E11)	6												

SOILS TEST EQUIPMENT CALIBRATION AND VERIFICATION REQUIREMENT (CON'T)

ITEM	ASTM D 3740 specified interval (mo.)	Lab specified interval	Calibrate Verify C/V within interval	Procedure In QM or	Written Procedure C/V Equipment Listed	Model &	Record Employee Name	Record C/V equipmen t ID	Record Date C/V	Next	Record Previous C/V date	 Record Reference C/V procedure
Liquid Limit Device, D4318 (check wear & critical dimensions)	12											
Grooving Tool, D4318 (check critical dimensions)	12											
Hydrometers, D422 (check critical dimensions)	24											
Straightedge, D698, D558, D559, D560, D1557 (check planeness of edge)	6											
Weighted Foot assembly, D2419 (check weight)	12											
CBR Annular and Slotted Weights, D1883 (check weight)	12											
CBR Penetration Piston, D1883 (check diameter)	12											
Standard Metal Specimen, D2844 (check outside diameter)	12											
Metal Follower, D2844 (check diameter)	12											